


Available online at www.sciencedirect.com



Aquaculture

Aquaculture 271 (2007) 575-577

www.elsevier.com/locate/aqua-online

## Contents of Aquaculture, Volume 271

VOL. 271 NOS. 1-4 3 October 2007 Review Article Antimicrobial use in shrimp farming in Ecuador and emerging multi-resistance during the cholera epidemic of 1991: A re-examination of P. Smith (Galway, Ireland). Comparative study on immune response of Fenneropenaeus indicus to Vibrio alginolyticus and white spot syndrome virus M. Sarathi, V.P. Ishaq Ahmed, C. Venkatesan, G. Balasubramanian, J. Prabavathy and A.S. Sahul Harneed (Tamil Nadu, India)...... Inhibition of white spot syndrome virus in Litopenaeus vannamei shrimp by sequence-specific siRNA Y. Wu, L. Lü, L.-S. Yang, S.-P. Weng (Guangzhou, PR China), S.-M. Chan (Hong Kong, China) and J.-G. He (Guangzhou, PR China). . . . Investigation into the pathogenicity of Penaeus merguiensis densovirus (Pmerg DNV) to juvenile Cherax quadricarinatus K.L. Fauce and L. Owens (Townsville, QLD, Australia)..... Hematology of Piaractus mesopotamicus fed diets supplemented with vitamins C and E, challenged by Aeromonas hydrophila F. García (Jaboticabal, Votuporanga, Brazil), F. Pilarski (Jaboticabal, Brazil), E.M. Onaka (São José do Rio Preto, Brazil), F.R. de Moraes (Jaboticabal, Brazil) and M.L. Martins (Florianópolis, Brazil) Occurrence and virulence of Pseudoalteromonas spp. in cultured gilthead sea bream (Sparus aurata L.) and European sea bass (Dicentrarchus labrax L.). Molecular and phenotypic characterisation of P. undina strain U58 M.J. Pujalte (València, Spain), A. Sitjà-Bobadilla (Castellón, Spain), M.C. Macián (València, Spain), P. Álvarez-Pellitero (Castellón, Spain) and E. Garay (València, Spain) ...... Nocardiosis in snakehead, Ophiocephalus argus Cantor G.-L. Wang, Y.-J. Xu, S. Jin, J.-L. Zhu and S.-P. Yuan (Ningbo, China). 54 The immune response of white shrimp Penaeus vannamei and its susceptibility to Vibrio alginolyticus under sulfide stress S.-W. Hsu and J.-C. Chen (Keelung, Taiwan, ROC). 61 Behavioural studies of host, non-host and mate location by the Sea Louse, Caligus rogercresseyi Boxshall & Bravo, 2000 (Copepoda: J. Pino-Marambio (Temuco, Chile), A.J. Mordue (Luntz) (Aberdeen, United Kingdom), M. Birkett (Hertfordshire, United Kingdom), J. Carvajal, G. Asencio, A. Mellado (Puerto Montt, Chile) and A. Quiroz (Temuco, Chile) Epidemiology of blindness and cataracts in cage reared ongrown Atlantic halibut Hippoglossus hippoglossus J.W. Treasurer (Ardnamurchan, UK), D.I. Cox and T. Wall (Inverness, UK) . . . Risk assessment for metazoan parasites of yellowtail kingfish Seriola lalandi (Perciformes: Carangidae) in South Australian sea-cage K.S. Hutson (Adelaide, South Australia, Australia), I. Ernst (Adelaide, South Australia, Canberra, ACT, Australia) and I.D. Whittington Mortality after IPNV challenge of Atlantic salmon (Salmo salar L.) differs based on developmental stage of fish or challenge route A. Rønneseth, H.I. Wergeland, M. Devik, Ø. Evensen and E.F. Pettersen (Bergen, Norway). Identification of a protein binding to the phagocytosis activating protein (PAP) in immunized black tiger shrimp Genetic diversity of hatchery stocks of giant freshwater prawn (Macrobrachium rosenbergti) in Thailand Culture of triploid greenlip abalone (Haliotis laevigata Donovan) to market size: Commercial implications 

Yellow perch strain evaluation I: Genetic variance of six broodstock populations  B. Brown (Richmond, Virginia, USA), HP. Wang (Piketon, Ohio, USA), L. Li (Richmond, Virginia, USA; Qingdao, China), C. Givens (Richmond, Virginia, USA) and G. Wallat (Piketon, Ohio, USA).	142
Genetic comparison of cultured and wild populations of the clam Coelomactra antiquata (Spengler) in China using AFLP markers  L. Kong and Q. Li (Qingdao, China)	152
Genetic potential for simultaneous selection of growth and body composition in rainbow trout (Oncorhynchus mykiss) depends on the dietary protein and lipid content: Phenotypic and genetic correlations on two diets A. Kause (Jokioinen, Finland), D. Tobin (Aberdeen, UK), E.A. Mäntysaari (Jokioinen, Finland), S.A.M. Martin, D.F. Houlihan (Aberdeen, UK), A. Kiessling (Matredal, Ås, Norway), K. Rungruangsak-Torrissen (Matredal, Norway), O. Ritola (Tervo, Finland) and	
K. Ruohonen (Turku, Finland)	162
Positive genetic correlation between resistance to bacterial (furunculosis) and viral (infectious salmon anaemia) diseases in farmed Atlantic salmon (Salmo salar)	
J. Ødegård, I. Olesen, B. Gjerde and G. Klemetsdal (Ås, Norway). Construction of genetic linkage maps of guppy ( <i>Poecilia reticulata</i> ) based on AFLP and microsatellite DNA markers X. Shen, G. Yang, Y. Liu, M. Liao, X. Wang, M. Zhu, W. Song (Qingdao, PR China), G. Zou, Q. Wei, D. Wang and D. Chen (Jingzhou, PR China)	
Husbandry and Management	
Bath sponge aquaculture in Torres Strait, Australia: Effect of explant size, farming method and the environment on culture success	
A.R. Duckworth and C. Wolff (Townsville, QLD, Australia).  Use of periphytic cyanobacterium and mixed diatoms coated substrate for improving water quality, survival and growth of <i>Penaeus monodon</i> Fabricius postlarvae	188
H. Khatoon, F.Md. Yusoff, S. Banerjee, M. Shariff and S. Mohamed (Serdang, Malaysia).  Effect of water velocity on the growth of California halibut ( <i>Paralichthys californicus</i> ) juveniles	196
G.E. Merino (Coquimbo, La Serena, Chile), R.H. Piedrahita and D.E. Conklin (Davis, California, USA).	206
Growth model for Atlantic cod (Gadus morhua): Effects of temperature and body weight on growth rate	211
B. Björnsson (Reykjavík, Iceland), A. Steinarsson (Grindavík, Iceland) and T. Árnason (Akureyri, Iceland)	216
G.E. Merino (Coquimbo, La Serena, Chile), R.H. Piedrahita and D.E. Conklin (Davis, California, USA).  Interactive effects of oxygen saturation and ammonia on growth and blood physiology in juvenile turbot	227
A. Foss (Bergen, Norway), A.K. Imsland (Kópavogur, Iceland; Bergen, Norway), B. Roth (Bergen, Norway), E. Schram (IJmuiden,	
The Netherlands) and S.O. Stefansson (Bergen, Norway)  Loss of allele diversity in introduced populations of the hermaphroditic bay scallop Argopecten irradians	
L. Wang (Qingdao, China), H. Zhang (Qingdao, Beijing, China), L. Song (Quingdao, China) and X. Guo (Port Norris, New Jersey, USA)  Diet composition and preference of juvenile Murray cod, trout cod and Macquarie perch (Percichthyidae) reared in fertilised earthen ponds	
B.A. Ingram (Alexandra, VIC, Australia) and S.S. De Silva (Warmambool, VIC, Australia).  Storage of Caiman latirostris (Crocodylia: Alligatoridae) eggs in harvest containers: Effects on hatchability	260
C.I. Piña, M. Simoncini (Santa Fe, Entre Ríos, Argentina), P. Siroski and A. Larriera (Santa Fe, Argentina)	271
Development of a new protocol for testing bath sponge quality	
D. Louden, S. Inderbitzin, Z. Peng and R. de Nys (QLD, Australia)	275
Utility of sea urchin embryo-larval bioassays for assessing the environmental impact of marine fishcage farming	200
A. Marin, S. Montoya, R. Vita, L. Marin-Guirao, J. Lloret and F. Aguado (Murcia, Spain)  Effect of delayed initial feeding on growth and survival of Asian sea bass <i>Lates calcarifer</i> (Bloch) larvae	286
M. Kailasam, A.R. Thirunavukkarasu (Chennai, India), S. Selvaraj (Fukuoka, Japan) and P. Stalin (Chennai, India)	298
Agonistic behaviour of signal crayfish (Pacifastacus leniusculus Dana) in different social environments: Effect of size heterogeneity on growth and food intake	
T. Ahvenharju (Evo, Finland) and K. Ruohonen (Turku, Finland).  Survival, growth and digestive enzyme activity of juveniles of the fat snook (Centropomus parallelus) reared at different salinities	
M.Y. Tsuzuki, J.K. Sugai, J.C. Maciel, C.J. Francisco and V.R. Cerqueira (Florianopolis, Brazil)	319
Deleterious effects of food restrictions in yellowtail kingfish Seriola lalandi during early development B.N. Chen, J.G. Qin (Adelaide, SA, Australia), J.F. Carragher, S.M. Clarke, M.S. Kumar and W.G. Hutchinson (Henly Beach, Australia)	326
Effects of oyster farming on macrofaunal assemblages associated with Lanice conchilega tubeworm populations: A trophic analysis using natural stable isotopes	
S. Dubois, J.C. Marin-Léal (Caen cedex, France), M. Ropert (Port en Bessin, France) and S. Lefebvre (Caen cedex, France)	336
Y. Wang (Hangzhou, Shanghai, China), LJ. Kong, K. Li (Shanghai, China) and D.P. Bureau (Guelph, Ontario, Canada). Comparison between some procedures for monitoring offshore cage culture in western Mediterranean Sea: Sampling methods and impact indicators in soft substrata	350
F. Aguado-Giménez, A. Marin, S. Montoya, L. Marin-Guirao, A. Piedecausa and B. Garcia-Garcia (Murcia, Spain).  Towards the maximum profitability of smallholder catfish nurseries: Predator defense and feeding-adapted stocking of Clarias gariepinus	357
S. Yong-Sulem (Foumban, Cameroon), R.E. Brummett (Yaoundé, Cameroon), T.F. Tabi and J. Tchoumboué (Dischane, Cameroon)	371

The effect of 100 are	
The effect of different substrates on pearl oyster Pinctada martensii (Dunker) larvae settlement	
Z. Su (Guangzhou, Beijing, Lianyungang, China), L. Huang, Y. Yan (Guangzhou, China) and H. Li (Guangzhou, Beijing, China)	
P. Soletchnik (La Tremblade, France), M. Ropert, J. Mazurié, P. Gildas Fleury and F. Le Coz (France).	384
Nutrition	
Taurine supplementation to alternative dietary proteins used in fish meal replacement enhances growth of juvenile cobia (Rachycentron canadum)	
A.N. Lunger, E. McLean (Blacksburg, VA, USA), T.G. Gaylord (Hagerman, ID, USA), D. Kuhn and S.R. Craig (Blacksburg, VA, USA)  The ingestion rate of <i>Litopenaeus vannamei</i> larvae as a function of <i>Tishe himiniensis</i> copepod concentration	
L.C.M. de Lima and L.P. Souza-Santos (Recife, Brazil)  Effect of dietary canola oil level on the growth performance and fatty acid composition of juvenile red sea bream, <i>Pagrus major</i> S.S.Y. Huang (Vancouver, BC, Canada), A.N. O-o (Minato City, Tokyo, Japan), D.A. Higgs, C.J. Brauner (Vancouver, BC, Canada) and S. Satoh (Minato City, Tokyo, Japan)	
S. Satoh (Minato City, Tokyo, Japan).  Bioimpedance assessment of body composition in cobia Rachycentron canadum (L. 1766)  M. Duncan, S.R. Crain, A.N. Luncon, D.D. Kolon, and C. S. Satoh (Minato City, Tokyo, Japan).	
M. Duncan, S.R. Craig, A.N. Lunger, D.D. Kuhn, G. Salze and E. McLean (Blacksburg, VA, USA) Effect of dietary protein level on growth and energy utilization by <i>Litopenaeus stylirostris</i> under laboratory conditions F. Gauquelin, G. Cuzon (Tahiti, French Polynesia), G. Gaxiola, C. Rosas, L. Arena (Yucatan, Mexico), D.P. Bureau (Ontario, Canada)	
and J.C. Cochard (Tahiti, French Polynesia)  Digestive physiology and metabolism of green abalone Haliotis fulgens from postlarvae to juvenile, fed three different diatoms	
M.T. Viana, G. Correa, J.P. Lazo (Ensenada BC, Mexico), R. Frias-Díaz, E. Durazo-Beltrán and C. Vasquez-Pelaez (Mexico).  Effect of wet-incubation of dietary plant feedstuffs with phytases on growth and mineral digestibility by common carp ( <i>Cyprinus carpio</i> L)  L.C. Nwanna (Akure, Nigeria), R. Eisenreich and F.J. Schwarz (Freising-Weisheustephen, Germany).	
	461
Physiology and Endocrinology	
Effect of starvation on the initiation of feeding, growth and survival rate of juvenile seahorses, Hippocampus trimaculatus Leach and Hippocampus kuda Bleeker	
J. Sheng, Q. Lin, Q. Chen, L. Shen, J. Lu (Guangzhou, PR China)	469
M. Chen (Qingdao, Beijing, China), H. Yang (Qingdao, China), M. Delaporte (Charlottetown, Prince Edward Island, Goodley, 16, 77)	
Effects of a gonadotropin-releasing hormone analog combined with pimozide on plasma sex steroid hormones, ovulation and egg quality in freshwater-exposed female chum salmon (Oncorhynchus keta)	479
W. Park (Gangneung, South Korea), C.H. Lee, C.S. Lee (Gangwon, South Korea), DJ. Kim (Busan, South Korea), JH. Kim (Gangneung, South Korea), C.S. Tamaru (Hawaii, USA) and Y.C. Sohn (Seoul, South Korea).	488
(Cyprinus carpio)	
W. Hu, S. Li, B. Tang, Y. Wang (Wuhan, China), H. Lin, X. Liu (Guangzhou, China), J. Zou (Aberdeen, UK) and Z. Zhu (Wuhan, China) Captivity, ablation and starvation of the prawn <i>Penaeus monodon</i> affects protein and lipid content in ovary and hepatopancreas tissues	
Effect of culture media and tissue extracts in the mantle explant culture of abalone. Haliotic varia Linguistic	
C.P. Suja, N. Sukumaran and S. Dharmaraj (Tirunelveli, India).  Stability of 17α-methyltestosterone in fish feed	
T.P. Barry (Madison, WI, United States), A. Marwah and P. Marwah (WI, United States)  Determination of microcystins in fish tissues using HPLC with a rapid and efficient solid phase extraction	
L. Xie and HD. Park (Matsumoto, Japan).  Cryoprotectant optimization for sperm of diploid Pacific oysters by use of commercial dairy sperm freezing facilities  Q. Dong (Wenzhou, PR China; Baton Rouge, Louisiana, USA), C. Huang (Wengzhou, PR China), B. Eudeline (Quilcene, Washington,	530
USA) and T.R. Tiersch (Baton Rouge, Louisiana, USA).  Temperature and salimity effects on plasma insulin-like growth factor-I concentrations and growth in juvenile turbot (Scophthalmus	537
maximus)	
A.K. Imsland (Kópavogur, Iceland; Bergen, Norway), B.T. Björnsson (Göteborg, Sweden), S. Gunnarsson (Kópavogur, Iceland), A. Foss and S.O. Stefansson (Bergen, Norway)	546
Short Communications	
Acute toxicity and sublethal effects of ammonia and nitrite for juvenile cobia Rachycentron canadum	
R. V. Rodrigues (Rio Grande, Brazil), M.H. Schwarz, B.C. Delbos (Hampton, VA. USA) and L.A. Sampsio (Pio Grande, Brazil)	552
Development of novel EST-SSR markers in common carp by data mining from public EST sequences  D. Wang, X. Liao, L. Cheng (Wuhan, Beijing, PR China), X. Yu and J. Tong (Wuhan, PR China).	
Contents of Aquaculture, Volume 271	336

## Contents (continued)

Behavioural studies of host, non-host and mate location by the Sea Louse, Caligus rogercresseyi Boxshall & Bravo, 2000 (Copepoda: Caligidae)  J. Pino-Marambio (Temuco, Chile), A.J. Mordue (Luntz) (Aberdeen, United Kingdom), M. Birkett	
(Hertfordshire, United Kingdom), J. Carvajal, G. Asencio, A. Mellado (Puerto Montt, Chile) and A. Quiroz (Temuco, Chile)	70
Epidemiology of blindness and cataracts in cage reared ongrown Atlantic halibut <i>Hippoglossus hippoglossus</i> J.W. Treasurer (Ardnamurchan, UK), D.I. Cox and T. Wall (Inverness, UK)	77
Risk assessment for metazoan parasites of yellowtail kingfish Seriola lalandi (Perciformes: Carangidae) in South Australian sea-cage aquaculture K.S. Hutson (Adelaide, South Australia, Australia), I. Ernst (Adelaide, South Australia, Canberra, ACT,	
Australia) and I.D. Whittington (Adelaide, North Terrace, South Australia, Australia)	85
A. Rønneseth, H.I. Wergeland, M. Devik, Ø. Evensen and E.F. Pettersen (Bergen, Norway)	112
Genetics	
Genetic diversity of hatchery stocks of giant freshwater prawn ( <i>Macrobrachium rosenbergii</i> ) in Thailand K. Chareontawee (Nakorn Pathom, Thailand), S. Poompuang, U. Na-Nakorn and W. Kamonrat (Bangkok, Theiland)	101
Thailand) .  Culture of triploid greenlip abalone ( <i>Haliotis laevigata</i> Donovan) to market size: Commercial implications G.A. Dunstan, N.G. Elliott, S.A. Appleyard, B.H. Holmes, N. Conod, M.A. Grubert and M.A. Cozens	121
(Tasmania, Australia)	130
Qingdao, China), C. Givens (Richmond, Virginia, USA) and G. Wallat (Piketon, Ohio, USA)	142
L. Kong and Q. Li (Qingdao, China).  Genetic potential for simultaneous selection of growth and body composition in rainbow trout ( <i>Oncorhynchus mykiss</i> ) depends on the dietary protein and lipid content: Phenotypic and genetic correlations on two diets A. Kause (Jokioinen, Finland), D. Tobin (Aberdeen, UK), E.A. Mäntysaari (Jokioinen, Finland), S.A.M. Martin, D.F. Houlihan (Aberdeen, UK), A. Kiessling (Matredal, Ås, Norway), K. Rungruangsak-Torrissen (Matredal,	152
Norway), O. Ritola (Tervo, Finland) and K. Ruohonen (Turku, Finland)  Positive genetic correlation between resistance to bacterial (furunculosis) and viral (infectious salmon anaemia) diseases in farmed Atlantic salmon (Salmo salar)	162
J. Ødegård, I. Olesen, B. Gjerde and G. Klemetsdal (Ås, Norway)	173
X. Shen, G. Yang, Y. Liu, M. Liao, X. Wang, M. Zhu, W. Song (Qingdao, PR China), G. Zou, Q. Wei, D. Wang and D. Chen (Jingzhou, PR China).	178
Husbandry and Management Bath sponge aquaculture in Torres Strait, Australia: Effect of explant size, farming method and the	
environment on culture success A.R. Duckworth and C. Wolff (Townsville, QLD, Australia)	188
Use of periphytic cyanobacterium and mixed diatoms coated substrate for improving water quality, survival and growth of <i>Penaeus monodon</i> Fabricius postlarvae	400
H. Khatoon, F.Md. Yusoff, S. Banerjee, M. Shariff and S. Mohamed (Serdang, Malaysia)	196
Growth model for Atlantic cod ( <i>Gadus morhua</i> ): Effects of temperature and body weight on growth rate  B. Björnsson (Reykjavík, Iceland), A. Steinarsson (Grindavík, Iceland) and T. Árnason (Akureyri, Iceland)	216
Ammonia and urea excretion rates of California halibut (Paralichthys californicus, Ayres) under farm-like conditions	
G.E. Merino (Coquimbo, La Serena, Chile), R.H. Piedrahita and D.E. Conklin (Davis, California, USA) Interactive effects of oxygen saturation and ammonia on growth and blood physiology in juvenile turbot A. Foss (Bergen, Norway), A.K. Imsland (Kópavogur, Iceland; Bergen, Norway), B. Roth (Bergen, Norway),	227
E. Schram (IJmuiden, The Netherlands) and S.O. Stefansson (Bergen, Norway)	244

## Contents (continued)

Loss of allele diversity in introduced populations of the hermaphroditic bay scallop <i>Argopecten irradians</i> L. Wang (Qingdao, China), H. Zhang (Qingdao, Beijing, China), L. Song (Quingdao, China) and X. Guo	050
(Port Norris, New Jersey, USA)	252
B.A. Ingram (Alexandra, VIC, Australia) and S.S. De Silva (Warmambool, VIC, Australia)	260
C.I. Piña, M. Simoncini (Santa Fe, Entre Ríos, Argentina), P. Siroski and A. Larriera (Santa Fe, Argentina) Development of a new protocol for testing bath sponge quality	271
D. Louden, S. Inderbitzin, Z. Peng and R. de Nys (QLD, Australia)	275
A. Marin, S. Montoya, R. Vita, L. Marín-Guirao, J. Lloret and F. Aguado (Murcia, Spain)	286
India)	298
T. Ahvenharju (Evo, Finland) and K. Ruohonen (Turku, Finland). Survival, growth and digestive enzyme activity of juveniles of the fat snook ( <i>Centropomus parallelus</i> ) reared at different salinities	307
M.Y. Tsuzuki, J.K. Sugai, J.C. Maciel, C.J. Francisco and V.R. Cerqueira (Florianópolis, Brazil) Deleterious effects of food restrictions in yellowtail kingfish <i>Seriola lalandi</i> during early development B.N. Chen, J.G. Qin (Adelaide, SA, Australia), J.F. Carragher, S.M. Clarke, M.S. Kumar and W.G. Hutchinson	319
(Henly Beach, Australia)	326
Effects of oyster farming on macrofaunal assemblages associated with Lanice conchilega tubeworm populations: A trophic analysis using natural stable isotopes	
S. Dubois, J.C. Marin-Léal (Caen cedex, France), M. Ropert (Port en Bessin, France) and S. Lefebvre	000
(Caen cedex, France)	336
drum ( <i>Nibea miichthioides</i> ) reared in net pens  Y. Wang (Hangzhou, Shanghai, China), LJ. Kong, K. Li (Shanghai, China) and D.P. Bureau (Guelph,	
Ontario, Canada)	350
Comparison between some procedures for monitoring offshore cage culture in western Mediterranean Sea: Sampling methods and impact indicators in soft substrata	330
F. Aguado-Giménez, A. Marín, S. Montoya, L. Marín-Guirao, A. Piedecausa and B. García-García (Murcia,	
Spain)	357
Towards the maximum profitability of smallholder catfish nurseries: Predator defense and feeding-adapted stocking of Clarias gariepinus	
S. Yong-Sulem (Foumban, Cameroon), R.E. Brummett (Yaoundé, Cameroon), T.E. Tabi and J. Tchoumboué	371
(Dschang, Cameroon)	371
(Guangzhou, Beijing, China)	377
Relationships between oyster mortality patterns and environmental data from monitoring databases along the coasts of France	
P. Soletchnik (La Tremblade, France), M. Ropert, J. Mazurié, P. Gildas Fleury and F. Le Coz (France)	384
Nutrition	
Taurine supplementation to alternative dietary proteins used in fish meal replacement enhances growth of juvenile cobia (Rachycentron canadum)	
A.N. Lunger, E. McLean (Blacksburg, VA, USA), T.G. Gaylord (Hagerman, ID, USA), D. Kuhn and S.R. Craig	400
(Blacksburg, VA, USA).  The ingestion rate of <i>Litopenaeus vannamei</i> larvae as a function of <i>Tisbe biminiensis</i> copepod concentration	401
L.C.M. de Lima and L.P. Souza-Santos (Recife, Brazil)	411
S.S.Y. Huang (Vancouver, BC, Canada), A.N. O-o (Minato City, Tokyo, Japan), D.A. Higgs, C.J. Brauner	
(Vancouver, BC, Canada) and S. Satoh (Minato City, Tokyo, Japan)	420

## Contents (continued)

Bioimpedance assessment of body composition in cobia Rachycentron canadum (L. 1766)  M. Duncan, S.R. Craig, A.N. Lunger, D.D. Kuhn, G. Salze and E. McLean (Blacksburg, VA, USA)	432
Effect of dietary protein level on growth and energy utilization by Litopenaeus stylirostris under laboratory conditions	
F. Gauquelin, G. Cuzon (Tahiti, French Polynesia), G. Gaxiola, C. Rosas, L. Arena (Yucatan, Mexico),	
D.P. Bureau (Ontario, Canada) and J.C. Cochard (Tahiti, French Polynesia)	439
Digestive physiology and metabolism of green abalone Haliotis fulgens from postlarvae to juvenile, fed three different diatoms	
M.T. Viana, G. Correa, J.P. Lazo (Ensenada BC, Mexico), R. Frías-Díaz, E. Durazo-Beltrán and C. Vasquez-Pelaez	440
(Mexico).  Effect of wet-incubation of dietary plant feedstuffs with phytases on growth and mineral digestibility by	449
common carp ( <i>Cyprinus carpio</i> L)  L.C. Nwanna (Akure, Nigeria), R. Eisenreich and F.J. Schwarz (Freising-Weisheustephen, Germany)	461
Physiology and Endocrinology	
Effect of starvation on the initiation of feeding, growth and survival rate of juvenile seahorses, <i>Hippocampus</i>	
trimaculatus Leach and Hippocampus kuda Bleeker	400
J. Sheng, Q. Lin, Q. Chen, L. Shen, J. Lu (Guangzhou, PR China)	469
Immune condition of <i>Chlamys farreri</i> in response to acute temperature challenge M. Chen (Qingdao, Beijing, China), H. Yang (Qingdao, China), M. Delaporte (Charlottetown, Prince	
Edward Island, Canada) and S. Zhao (Qingdao, Beijing, China)	479
Effects of a gonadotropin-releasing hormone analog combined with pimozide on plasma sex steroid hormones, ovulation and egg quality in freshwater-exposed female chum salmon ( <i>Oncorhynchus keta</i> ) W. Park (Gangneung, South Korea), C.H. Lee (Gangwon, South Korea), C.S. Lee (Gangwon, South Korea), DJ. Kim (Busan, South Korea), JH. Kim (Gangneung, South Korea), C.S. Tamaru (Hawaii, USA) and	
Y.C. Sohn (Seoul, South Korea)	488
Antisense for gonadotropin-releasing hormone reduces gonadotropin synthesis and gonadal development in transgenic common carp (Cyprinus carpio)	
W. Hu, S. Li, B. Tang, Y. Wang (Wuhan, China), H. Lin, X. Liu (Guangzhou, China), J. Zou (Aberdeen, UK)	
and Z. Zhu (Wuhan, China)	498
Captivity, ablation and starvation of the prawn <i>Penaeus monodon</i> affects protein and lipid content in ovary and hepatopancreas tissues	
G. Marsden, P. Mather and N. Richardson (Brisbane, Qld, Australia)	507
Effect of culture media and tissue extracts in the mantle explant culture of abalone, Haliotis varia Linnaeus C.P. Suja, N. Sukumaran and S. Dharmaraj (Tirunelveli, India)	516
Stability of 17α-methyltestosterone in fish feed	
T.P. Barry (Madison, WI, United States), A. Marwah and P. Marwah (WI, United States)	523
L. Xie and HD. Park (Matsumoto, Japan)	530
Cryoprotectant optimization for sperm of diploid Pacific oysters by use of commercial dairy sperm freezing facilities	
Q. Dong (Wenzhou, PR China; Baton Rouge, Louisiana, USA), C. Huang (Wengzhou, PR China), B. Eudeline	
(Quilcene, Washington, USA) and T.R. Tiersch (Baton Rouge, Louisiana, USA)	537
Temperature and salinity effects on plasma insulin-like growth factor-I concentrations and growth in juvenile turbot (Scophthalmus maximus)	
A.K. Imsland (Kópavogur, Iceland; Bergen, Norway), B.T. Björnsson (Göteborg, Sweden), S. Gunnarsson (Kópavogur, Iceland), A. Foss and S.O. Stefansson (Bergen, Norway)	546
Short Communications	
Acute toxicity and sublethal effects of ammonia and nitrite for juvenile cobia Rachycentron canadum	
R.V. Rodrigues (Rio Grande, Brazil), M.H. Schwarz, B.C. Delbos (Hampton, VA, USA) and L.A. Sampaio (Rio Grande, Brazil)	553
Development of novel EST-SSR markers in common carp by data mining from public EST sequences	000
D. Wang, X. Liao, L. Cheng (Wuhan, Beijing, PR China), X. Yu and J. Tong (Wuhan, PR China)	558
Contents of Aquaculture, Volume 271	575

